

L Number	Hits	Search Text	DB	Time stamp
-	312	total near10 (spare\$1 or free) near10 (location\$1 or block\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 09:18
-	18	((total near10 (spare\$1 or free) near10 (location\$1 or block\$1)) same flash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 09:23
-	47296	(spare\$1 or free) near10 (location\$1 or block\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 09:32
-	33	(spare\$1 or free) near10 (location\$1 or block\$1) with ((multiple or plurality) near5 (card\$1 or medium or drive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 09:41
-	490	(spare\$1 or free or available) near10 (location\$1 or block\$1) with (media)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:56
-	216	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (media)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:04
-	10	((spare\$1 or free or available) near10 (locations or blocks or sectors) with (media)) with (threshold or predetermined or maxium or minium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 09:47
-	163	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:00
-	2	((total near10 ((spare\$1 or free or available) near10 (locations or blocks or sectors))) with (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:01
-	0	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with (threshold) with media	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:03
-	216	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with media	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:03
-	2483	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (multiple or plurality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:05
-	2116	(spare\$1 or free or available) near10 (locations or blocks or sectors) near10 (multiple or plurality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:05
-	23	(spare\$1 or free or available) near10 (locations or blocks or sectors) near10 ((multiple or plurality) near5 (cards or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:11
-	561	total near10 (spare\$1 or free or available) near10 (locations or blocks or sectors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:11

-	42	(total near10 (spare\$1 or free or available) near10 (locations or blocks or sectors)) same flash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:45
-	431	(spare\$1 or free or available) near10 (locations or blocks or sectors) same (flash near5cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:30
-	15	(spare\$1 or free or available) near10 (locations or blocks or sectors) same (flash near5cards) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:32
-	0	(spare\$1 or free or available) near10 (locations or blocks or sectors) same (flash near5 cards) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:33
-	0	(spare\$1 or free or available) same (locations or blocks or sectors) same (flash near5 cards) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:33
-	7	(spare\$1 or free or available) same (locations or blocks or sectors) same (cards) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:35
-	22	((spare\$1 or free or available) near10 (locations or blocks or sectors)) same ((memory or flash) near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:32
-	569	total near10 ((spare\$1 or free or available) near10 (locations or blocks or sectors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:36
-	1	total near10 (spare\$1 or free or available) near10 ((multiple or plurality) near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:24
-	189	(spare\$1 or free or available) near10 ((multiple or plurality) near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:24
-	13	((spare\$1 or free or available) near10 (locations or blocks or sectors)) same ((multiple or plurality) near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 12:33
-	19	((spare\$1 or free or available) near10 (locations or blocks or sectors)) same ((flash or memory) near3 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:31
-	3184	(spare or free) near5 (locations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:32
-	3	((spare or free) near5 locations) with ((flash or memory) adj cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:34
-	43	((spare or free)) with ((flash or memory) adj cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:34

-	229	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with flash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 41
-	22	spare adj count\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 43
-	40749	spare near7count\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 44
-	346	spare near5 count\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 44
-	165	spare near2 count\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 50
-	4	(spare near2 count\$2) same flash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 51
-	3	spare with ((multiple or plurality) adj cards\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 53
-	0	((multiple or plurality) adj flash adj ards\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 54
-	11	((multiple or plurality) adj flash adj cards\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13: 55
-	216	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (media)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14: 32
-	7	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (hard adj disks)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14: 21
-	113	(spare\$1 or free or available) near10 (locations or blocks or sectors) with disks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14: 35
-	3	(total adj (spare\$1 or free or available) near10 (locations or blocks or sectors)) same flash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14: 47
-	71	(total adj (spare\$1 or free or available) near10 (locations or blocks or sectors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14: 50
-	32871	(spare\$1 or free or available) near10 (locations or blocks or sectors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14: 51

-	3146	(spare\$1 or free or available) adj (locations or blocks or sectors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14: 52
-	63	((spare\$1 or free or available) adj (locations or blocks or sectors)) with flash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 14
-	155	threshold near10 ((unused or available or spare or free) near5 (blocks or locations or segments or sectors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 43
-	8	(threshold near10 ((unused or available or spare or free) near5 (blocks or locations or segments or sectors))) same (flash or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 42
-	0	(threshold near10 (flash adj memory adj cards))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 20
-	0	(threshold same (flash adj memory adj cards))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 21
-	755	(threshold and (flash adj memory adj cards))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 21
-	94	(threshold near10 (unused or available or spare or free)) same (flash or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 33
-	20	(threshold near10 (unused or available or spare or free)) same (storage adj devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 39
-	13	(threshold near10 (unused or available or spare or free)) same (memory adj devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16: 08
-	8	(threshold near10 ((unused or available or spare or free or full or empty) near5 (blocks or locations or segments or sectors))) same (flash or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 45
-	135	(threshold near10 (unused or available or spare or free or full or empty)) same (flash or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16: 24
-	3	threshold near10 (flash adj cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15: 58
-	3	threshold near10 (flash near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16: 05
-	7862	(threshold near10 (unused or available or spare or free))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16: 27

-	111	(threshold near10 (unused or available or spare or free)) same (flash or EEPRM or non-volatile or EPROM or PROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:19
-	2	("5404485").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:19
-	874	(threshold near10 (unused or available or spare or free or full or empty)) same ((multiple or plurality) ner5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:25
-	865	(threshold near10 (unused or available or spare or free or full or empty)) same ((multiple or plurality) ner5 flash near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:25
-	0	(threshold near10 (unused or available or spare or free or full or empty)) same ((multiple or plurality) near5 flash near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:26
-	3	(threshold near10 (unused or available or spare or free or full or empty)) same ((multiple or plurality) near5 flash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:26
-	4251	flash near3 memory near3 cards	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:27
-	60	((threshold near10 (unused or available or spare or free))) and (flash near3 memory near3 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:27
-	5	threshold same (flash near5 cards)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 09:53
-	12	threshold and ((spare or available or unused or free) with (flash near5 cards))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 09:59

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	312	total near10 (spare\$1 or free) near10 (location\$1 or block\$1)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 09:18
2	BRS	L2	18	(total near10 (spare\$1 or free) near10 (location\$1 or block\$1)) same flash	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 09:23
3	BRS	L3	47296	(spare\$1 or free) near10 (location\$1 or block\$1)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 09:32
4	BRS	L4	33	(spare\$1 or free) near10 (location\$1 or block\$1) with ((multiple or plurality) near5 (card\$1 or medium or drive))	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 09:41
5	BRS	L5	490	(spare\$1 or free or available) near10 (location\$1 or block\$1) with (media)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13:56
6	BRS	L6	216	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (media)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	10	((spare\$1 or free or available) near10 (locations or blocks or sectors) with (media)) with (threshold or predetermined or maxium or minium)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 09:47
8	BRS	L8	163	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with (threshold)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:00
9	BRS	L9	2	(total near10 ((spare\$1 or free or available) near10 (locations or blocks or sectors))) with (threshold)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:01
10	BRS	L10	0	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with (threshold) with media	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:03
11	BRS	L11	216	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with media	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:03
12	BRS	L12	2483	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (multiple or plurality)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:05

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	2116	(spare\$1 or free or available) near10 (locations or blocks or sectors) near10 (multiple or plurality)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:05
14	BRS	L14	23	(spare\$1 or free or available) near10 (locations or blocks or sectors) near10 ((multiple or plurality) near5 (cards or medium))	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:11
15	BRS	L15	561	total near10 (spare\$1 or free or available) near10 (locations or blocks or sectors)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:11
16	BRS	L16	42	(total near10 (spare\$1 or free or available) near10 (locations or blocks or sectors)) same flash	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:29
17	BRS	L17	431	(spare\$1 or free or available) near10 (locations or blocks or sectors) same (flash near5cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:30
18	BRS	L18	15	(spare\$1 or free or available) near10 (locations or blocks or sectors) same (flash near5cards) same threshold	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
19	BRS	L19	0	(spare\$1 or free or available) near10 (locations or blocks or sectors) same (flash near5 cards) same threshold	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10: 33
20	BRS	L20	0	(spare\$1 or free or available) same (locations or blocks or sectors) same (flash near5 cards) same threshold	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10: 33
21	BRS	L21	7	(spare\$1 or free or available) same (locations or blocks or sectors) same (cards) same threshold	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 10: 35
22	BRS	L22	22	((spare\$1 or free or available) near10 (locations or blocks or sectors)) same ((memory or flash) near5 cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 11: 32
23	BRS	L25	569	total near10 ((spare\$1 or free or available) near10 (locations or blocks or sectors))	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 36
24	BRS	L26	1	total near10 (spare\$1 or free or available) near10 ((multiple or plurality) near5 cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 12: 24

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L27	189	((spare\$1 or free or available) near10 ((multiple or plurality) near5 cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 12: 24
26	BRS	L28	13	((spare\$1 or free or available) near10 (locations or blocks or sectors)) same ((multiple or plurality) near5 cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 12: 33
27	BRS	L29	19	((spare\$1 or free or available) near10 (locations or blocks or sectors)) same ((flash or memory) near3 cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 31
28	BRS	L30	3184	(spare or free) near5 (locations)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 32
29	BRS	L31	3	((spare or free) near5 locations) with ((flash or memory) adj cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 34
30	BRS	L32	43	((spare or free)) with ((flash or memory) adj cards)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 34

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L33	229	((spare\$1 or free or available) near10 (locations or blocks or sectors)) with flash	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13:41
32	BRS	L34	22	spare adj count\$2	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13:43
33	BRS	L35	40749	spare near7count\$2	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13:44
34	BRS	L36	346	spare near5 count\$2	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13:44
35	BRS	L37	165	spare near2 count\$2	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13:50
36	BRS	L38	4	(spare near2 count\$2) same flash	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13:51

	Type	L #	Hits	Search Text	DBs	Time Stamp
37	BRS	L39	3	spare with ((multiple or plurality) adj cards\$)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 53
38	BRS	L40	0	((multiple or plurality) adj flash adj ards\$)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 54
39	BRS	L41	11	((multiple or plurality) adj flash adj cards\$)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 13: 55
40	BRS	L42	216	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (media)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 14: 32
41	BRS	L43	7	(spare\$1 or free or available) near10 (locations or blocks or sectors) with (hard adj disks)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 14: 21
42	BRS	L44	113	(spare\$1 or free or available) near10 (locations or blocks or sectors) with disks	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_T DB	2004/02/05 14: 35